

RTT SERIES STOOLS

Rugged tubular base/round upholstered seat/ trapezoid lumbar support backrest.

Choose RTT stools for top performance in a wide variety of environments including: industry, education, laboratory, static control and healthcare.

Each stool within this series features a different base to meet varied environmental and budget demands. Round upholstered seats and trapezoid lumbar support backrests are standard. Select options like seat adjustment controls, backrests, casters and glides.

STANDARD FEATURES

Backrest: 14 1/2" wide x 9 1/2" high, lumbar support, plastic protective panel.

Seat: Round, 16" diameter, upholstered, with 4" of high-resilience molded foam cushioning.

Controls: Standard with Task Control – Soft-touch pneumatic seat-height adjustment, fixed rearward seat tilt of 31/2°, backrest tilt, backrest-height adjustment.

Base: Rugged 5-legged tubular steel base with 20" diameter attached footring, 23" leg spread.

Casters and Glides: Models available standard with casters have an R following the model number/manufacturing code. The remaining models are standard with nickel-plated glides. Standard casters are a single-wheel ball bearing caster for hard floors; many other optional casters/glides are available.

Fire Retardant: Meets California Technical Bulletin 117; treatment to meet CAL 133 is optionally available.

Upholstery: A wide range of upholstery vinyls and fabrics are available to meet your needs.

Metal Parts: RTT Series stools have a powder-coated finish as standard or a chrome-plated finish when specified with a C option code.



SEAT HEIGHT RANGES

Adj. Range	Model# Mfg. Code
17"-22"	RTT1722
17"-22**	RTT1722-R
19"-24**	RTT1924-R
19"-26"	RTT1926
19"-26**	RTT1926-R
21"-26"	RTT2126
21"-28**	RTT2128-R
23"-28**	RTT2328-R
25"-30"	RTT2530
27"-32**	RTT2732-R
29"-34††	RTT2934

OPTIONS/UPHOLSTERY

Backrests	ERN
Additional Paint Finish Options	SPF
Seat Controls	EXE, FFAC
Casters and Glides	BPG, CRC, GFR, LKRO, LKRU, LRO, LRU, MLR, NGC, NSG, R, STR, XR
Fire Retardant Options	C133
Miscellaneous	SW, TKB, WM
Footrings	G

CRITICAL ENVIRONMENTS

Static Control